

# D-Series Electric Dirt Bikes

- [D-Series Electric Dirt Bikes](#)
- [CEMOTO D02 Classic](#)
- [CEMOTO D02 Track](#)
- [CEMOTO D03 Beast](#)
- [CEMOTO D03 Pro](#)

# D-Series Electric Dirt Bikes

The CEMOTO D-series is a range of off-road electric dirt bikes for teens and adults, built on two platforms: a **compact 48V platform** (D02 Classic, D03 Pro) and a **full-size 72V performance platform** (D02 Track, D03 Beast).

“ **Off-road only.** Every D-series model is intended for use on **private land and closed tracks**. They are not sold as street-legal vehicles. Confirm local laws before riding — see [Riding Laws & Compliance](#).

## Model line-up

Tap a model to open its full specification page.

|                                            |                                    |                                        |                                        |
|--------------------------------------------|------------------------------------|----------------------------------------|----------------------------------------|
| <a href="#">D02 Classic</a><br>D02 Classic | <a href="#">D03 Pro</a><br>D03 Pro | <a href="#">D02 Track</a><br>D02 Track | <a href="#">D03 Beast</a><br>D03 Beast |
|--------------------------------------------|------------------------------------|----------------------------------------|----------------------------------------|

## The range at a glance

|               | D02 Classic                | D03 Pro                | D02 Track                   | D03 Beast                 |
|---------------|----------------------------|------------------------|-----------------------------|---------------------------|
| Positioning   | Entry-level, maximum value | Balanced all-rounder   | High-performance, mid frame | Flagship, full-size frame |
| Motor         | 3000W peak brushless       | 3000W peak brushless   | 6000W peak brushless        | 6000W peak brushless      |
| Battery       | 48V 21Ah Li-ion            | 48V 23Ah Li-ion        | 72V 25Ah Li-ion (removable) | 72V 25Ah Li-ion           |
| Top speed     | Up to 40 mph (65 km/h)     | Up to 40 mph (65 km/h) | Up to 53 mph (85 km/h)      | Up to 53 mph (85 km/h)    |
| Maximum range | Up to 30 mi (48 km)        | Up to 34 mi (55 km)    | Up to 60 mi (96 km)         | Up to 50 mi (80 km)       |
| Charge time   | ~6 hours                   | ~6 hours               | ~7-8 hours                  | ~7-8 hours                |
| Wheels        | 14" front / 12" rear       | 14" front / 12" rear   | 17" front / 14" rear        | 17" front / 14" rear      |

|              | D02 Classic      | D03 Pro     | D02 Track        | D03 Beast        |
|--------------|------------------|-------------|------------------|------------------|
| Seat height  | 28.74 in         | 28.3 in     | 31.89 in (81 cm) | 31.9 in (~81 cm) |
| Rider height | 4'11"-5'10"      | 4'11"-5'10" | 5'9"-6'5"        | 5'9"-6'5"        |
| Max load     | 287 lb           | ~265 lb     | 265 lb (120 kg)  | 287 lb           |
| Net weight   | 121.3 lb (55 kg) | ~121 lb     | 138.9 lb (63 kg) | —                |
| Reverse mode | —                | —           | Yes              | —                |

**Performance figures are manufacturer-stated maximums**, measured under controlled test conditions (typically a 70 kg rider, 25 °C ambient temperature, 20 km/h constant speed for range). They are not simultaneous guarantees. Actual results vary with rider weight, terrain, temperature, tire pressure, battery condition, riding mode and riding style.

# Platform comparison

## Compact platform — D02 Classic & D03 Pro

Both models share the **same 3000W high-torque motor platform**, 48V electrical system and 14"/12" wheel setup. The D03 Pro carries a slightly larger battery (23Ah vs 21Ah), giving it a marginally longer range figure.

The D02 Classic costs less because it removes the horn and some street-oriented hardware, making it the leaner, off-road-first option. If your priority is value and trail fun, it is the D02 Classic. If you want the balanced all-rounder, it is the D03 Pro.

## Full-size performance platform — D02 Track & D03 Beast

Both step up to a **72V 25Ah system and a 6000W peak brushless motor**, with 17"/14" wheels and a ~32-inch seat height for a taller, more experienced rider.

- The **D02 Track** adds a **built-in reverse mode** for manoeuvring on narrow trails, and a removable battery that can be charged off the bike. It ships in a track configuration **without a horn**.
- The **D03 Beast** is the flagship, on the full-size D03 frame with the 72V power platform.

# In this section

| Page                         | Contents                                          |
|------------------------------|---------------------------------------------------|
| <a href="#">D02 Classic</a>  | Full specification and feature detail             |
| <a href="#">D02 Track</a>    | Full specification and feature detail             |
| <a href="#">D03 Pro</a>      | Full specification and feature detail             |
| <a href="#">D03 Beast</a>    | Full specification and feature detail             |
| <a href="#">User Manuals</a> | Download the official owner manual for your model |

# Common D-series features

- Brushless hub motor with **finned controller housing** for heat dissipation
- **Full-color digital display** showing speed, battery state of charge, mileage and mode
- **Dual LED headlights** (model dependent)
- **Hydraulic disc brakes** — dual-disc on the 72V models
- **Front fork and rear shock suspension** — full off-road suspension front and rear
- **Knobby off-road tires** sized to the model
- **Three selectable riding modes** (Low / Mid / High; shown as gears 1-3 on the display)
- Programmable controller with display-accessible performance parameters

# Ownership support

|          | Detail                                                                                       |
|----------|----------------------------------------------------------------------------------------------|
| Warranty | Period, coverage and exclusions — <a href="#">Warranty</a> · <a href="#">Warranty Claims</a> |
| Returns  | Return window and who pays return shipping — <a href="#">Returns &amp; Refunds</a>           |
| Shipping | Delivery coverage and estimated timing — <a href="#">Shipping &amp; Delivery</a>             |

|                   | Detail                                                                                                 |
|-------------------|--------------------------------------------------------------------------------------------------------|
| Shipping damage   | Report with photos to <a href="#">Support</a> ; resolution follows the <a href="#">Shipping Policy</a> |
| Replacement parts | Compatible D-series parts and accessories — <a href="#">Spare Parts &amp; Compatibility</a>            |

The policy pages are the authoritative source for every term above. Figures quoted in a product listing or campaign are superseded by them.

# CEMOTO D02 Classic

“ Entry-level off-road electric dirt bike for teens and adults, built on a 48V system with a compact, budget-friendly frame setup.

[← Back to D-Series overview](#)

D02 Classic — Black

## Overview

The D02 Classic pairs a 48V electrical system with a brushless motor rated up to **3000W peak**. With a **28.74-inch seat height**, it is designed for teens and adults with a more compact build, positioned as the maximum-value trail fun option in the D-series.

It uses the **same 3000W high-torque motor platform as the D03 Pro**. The D02 Classic costs less because it removes the horn and some street-oriented hardware, making it the leaner, off-road-first option.

**Available colors:** D02 Black · D02 Orange

## Key specifications

| Item        | Specification                             |
|-------------|-------------------------------------------|
| Motor       | 48V brushless motor, up to 3000W peak     |
| Battery     | 48V 21Ah lithium-ion                      |
| Top speed   | Up to 40 mph (approx. 65 km/h)            |
| Range       | Up to 30 miles (approx. 48 km) per charge |
| Charge time | Approximately 6 hours                     |
| Wheels      | 14-inch front / 12-inch rear              |

| Item         | Specification                                         |
|--------------|-------------------------------------------------------|
| Brakes       | Hydraulic disc brakes                                 |
| Suspension   | Hydraulic front fork and rear shock (full suspension) |
| Intended use | Off-road only — private land & track                  |

# Dimensions & weight

| Item             | Specification                            |
|------------------|------------------------------------------|
| Overall length   | 61.42 in                                 |
| Overall height   | 38.19 in                                 |
| Seat height      | 28.74 in (approx. 73 cm)                 |
| Ground clearance | 8.66 in                                  |
| Rider height     | 4'11"-5'10" (150-178 cm)                 |
| Net weight       | 121.3 lb (55 kg)                         |
| Maximum load     | 287 lb                                   |
| Packed size      | 51.6 × 12.2 × 24.0 in (131 × 31 × 61 cm) |
| Packed weight    | 138.9 lb (63 kg)                         |

# Feature highlights

- 3000W peak brushless motor
- Full-color digital display (up to 40 MPH)
- Dual LED headlights
- 48V 21Ah lithium battery
- 14" / 12" knobby off-road tires
- Hydraulic front fork and rear suspension
- Finned controller housing
- Hydraulic disc brakes

# Frequently asked questions

**What is the maximum speed of the CEMOTO D02 Classic?** The manufacturer-stated maximum speed is up to 40 mph. Actual speed varies with rider weight, terrain, temperature, tire pressure, battery charge and riding conditions, so 40 mph is not guaranteed.

**What is the estimated riding range?** The manufacturer-stated maximum range is up to 30 miles per charge. Actual range varies with speed, rider weight, terrain, temperature, tire pressure and riding style.

**How long does the D02 Classic take to charge?** A full charge takes approximately 6 hours under normal conditions. Use only the compatible supplied charger in a dry, ventilated location and follow the owner's instructions.

**What rider height is the D02 Classic designed for?** The listed rider-height range is approximately 4'11"-5'10" (150-178 cm), with a seat height of approximately 28.74 inches. Fit also depends on inseam, balance, strength and riding experience.

**What is the maximum load?** The confirmed maximum load for the D02 Classic is 287 lb. Rider weight, equipment and anything carried on the bike should remain within this limit.

**Is the D02 Classic suitable for teen riders?** The D02 Classic is marketed for teens and adults who fit the bike. Suitability also depends on maturity, strength, training and experience; adult supervision and appropriate protective gear are recommended for teen riders.

**Is the D02 Classic street legal?** The D02 Classic is intended for off-road use on suitable private property and tracks. It is not marketed as a street-legal commuter, and riders should check all applicable local laws before use.

**Is the D02 Classic less powerful than the D03 Pro?** No. Both models use the same 3000W high-torque motor platform. The D02 Classic costs less because it removes the horn and some street-oriented hardware, making it the leaner, off-road-first option.

**Does the bike arrive fully assembled?** Some assembly and pre-ride checks are required after delivery. An adult should follow the assembly guidance and verify fasteners, brakes, controls, tires and suspension before the first ride.

**What is included in the box?** The confirmed package includes the D02 Classic bike, one compatible charger, assembly tools and hardware, a manual and the original shipping carton. Exact tool appearance may vary.

**Where does the D02 Classic ship from?** Dispatch origin, delivery coverage and any shipping cost are set out in the [Shipping & Delivery](#) policy. Tracking is provided after shipment.

**How long does U.S. delivery usually take?** Delivery timing depends on your destination, the carrier and current conditions, and is stated on the [Shipping & Delivery](#) policy page rather than fixed here. Track your order with the details supplied after dispatch.

**Is a signature required for delivery?** Signature requirements depend on the order value and are set out in the [Shipping & Delivery](#) policy. Monitor your tracking information and move the package to a secure location promptly after delivery.

**What should I do if a component arrives damaged?** Photograph the carton, shipping label, internal packaging and affected component, then email [support@cemotoride.com](mailto:support@cemotoride.com) to open a ticket. If shipping damage to a component is confirmed, CEMOTO dispatches replacement parts under the [Shipping Policy](#).

**Where can I buy replacement parts and get technical help?** Compatible parts are available in the CEMOTO accessories collection. Technical guides and video-assisted troubleshooting are available through the [Technical Guides](#) library and CEMOTO support.

**What warranty and return coverage is included?** Warranty period, coverage and exclusions are defined by the [Warranty](#) and [Warranty Claims](#) pages; the return window and who pays return shipping are defined by [Returns & Refunds](#). Those pages are authoritative — any period quoted in a listing or campaign is superseded by them.

---

## Documentation

- **Owner manual (PDF):** [CEMOTO D02 User Manual](#) — official 28-page D-series owner manual covering safety, assembly, operation, display, maintenance, troubleshooting and warranty
- **Assembly guide:** [Unboxing & Assembly](#)
- **Display & error codes:** [Display & Error Codes](#)

“ **Note:** Speed and range are manufacturer-stated maximums, not guarantees. Actual performance varies with rider weight, terrain, temperature, tire pressure and riding style.

## Images

**D02 Classic** — official product photography.

D02 Classic — Black

Black

D02 Classic — Orange

Orange

D02 Classic — Component detail

Component detail

D02 Classic — Component detail (2)

Component detail (2)

D02 Classic — Size chart

Size chart

D02 Classic — On the trail

On the trail

# CEMOTO D02 Track

“ High-performance off-road electric dirt bike with 6000W peak output, a built-in reverse mode and a 72V removable battery, configured for private land and track use.

[← Back to D-Series overview](#)

D02 Track — Front three-quarter

## Overview

The D02 Track is the high-performance version of the D02 series, built on a **72V 25Ah lithium battery** and a brushless motor rated up to **6000W peak**. It features a **reverse mode**, three riding modes and a **31.9-inch seat height**, aimed at taller, more experienced riders.

The battery is **removable and can be charged off the bike**. The model ships in a **track configuration without a horn**.

**Available colors:** D02 Track Black · D02 Track Orange

## Key specifications

| Item          | Specification                                                 |
|---------------|---------------------------------------------------------------|
| Motor         | Brushless motor, up to 6000W peak                             |
| Battery       | 72V 25Ah lithium-ion (removable, can be charged off the bike) |
| Top speed     | Up to 53 mph (approx. 85 km/h)                                |
| Maximum range | Up to 60 miles (approx. 96 km) per charge                     |
| Torque        | Up to approx. 221 lb-ft (300 N·m)                             |

| Item              | Specification                                   |
|-------------------|-------------------------------------------------|
| Charge time       | Approximately 7–8 hours                         |
| Riding modes      | Three: Low / Mid / High                         |
| Controls          | Reverse included / no horn (track setup)        |
| Wheels            | 17-inch front / 14-inch rear                    |
| Brakes            | Hydraulic dual-disc brakes                      |
| Suspension        | Off-road front and rear suspension              |
| Charger plug      | U.S. two-prong                                  |
| Assembly required | Front wheel, handlebars, footpegs and headlight |
| Intended use      | Off-road only — private land & track            |

# Dimensions & weight

| Item              | Specification                            |
|-------------------|------------------------------------------|
| Overall length    | 66.14 in (168 cm)                        |
| Overall height    | 42.52 in (108 cm)                        |
| Seat height       | 31.89 in (81 cm)                         |
| Ground clearance  | 8.66 in (22 cm)                          |
| Front fork length | 29.53 in (75 cm)                         |
| Rider height      | 5'9"-6'5" (approx. 175–195 cm)           |
| Maximum load      | 265 lb (120 kg)                          |
| Net weight        | 138.9 lb (63 kg)                         |
| Carton dimensions | 55.5 × 13.8 × 25.2 in (141 × 35 × 64 cm) |
| Gross weight      | 165.3 lb (75 kg)                         |

# Feature highlights

- 6000W peak brushless motor
- LCD display
- Headlight
- Front and rear suspension
- Battery compartment (removable battery, chargeable off the bike)
- Off-road tires (17" front / 14" rear)

- **Reverse mode** for easier manoeuvring on narrow trails
  - Hydraulic dual-disc brakes
  - Finned controller housing
- 

## From the box to the dirt

**Assembly kit contents (pictured):** headlight, front number plate, wrenches, hex keys, screwdriver, cable ties, footpegs and manual.

**Four parts to install:** front wheel, handlebars, footpegs and headlight. Follow the D-series assembly guide and complete the pre-ride checks. Keep the carton and internal protection for service or returns.

**Charger:** included U.S. two-prong charger. Remove the battery from the compartment and charge it with the corresponding charging port (three-pin socket) on the charger.

**Documentation:** D-series user manual (PDF) — see the [manuals library](#).

---

## Ownership, made clear

The commercial terms that apply to your order — delivery coverage and timing, the return window, and the warranty period with its exclusions — are set out in full on the policy pages below. They are the authoritative version; any figure quoted in a product listing or campaign is superseded by them.

| Topic                          | Where it is defined                                                                             |
|--------------------------------|-------------------------------------------------------------------------------------------------|
| Shipping coverage and timing   | <a href="#">Shipping &amp; Delivery</a>                                                         |
| Shipping damage on arrival     | <a href="#">Contact &amp; Support</a> — photograph the carton and packaging, then open a ticket |
| Returns and refunds            | <a href="#">Returns &amp; Refunds</a>                                                           |
| Warranty period and exclusions | <a href="#">Warranty</a> · <a href="#">Warranty Claims</a>                                      |

---

## Frequently asked questions

**How is the D02 Track different from the D02 Classic?** The D02 Track uses the 72V 25Ah / 6000W peak performance platform with 17"/14" wheels and a 31.9-inch seat, while the D02 Classic uses the 48V 21Ah / 3000W platform with 14"/12" wheels and a 28.74-inch seat. The D02 Track also adds a reverse mode and a removable, off-bike-chargeable battery.

**Can I charge the battery off the bike?** Yes. The D02 Track battery is removable and can be charged outside the bike using the included charger and the battery's three-pin charging port.

**How long does the D02 Track take to charge?** Approximately 7–8 hours for a full charge.

**Does the D02 Track have a horn?** No. It ships in a track configuration without a horn, which is a deliberate setup for private land and track use.

**What is the maximum load?** 265 lb (120 kg).

**Is the controller programmable?** The CEMOTO D-series uses a programmable controller. It ships with a factory-set limit for local compliance and can be switched to competition-focused off-road settings where allowed. Display-accessible parameters such as the speed limit are documented in

[Display & Settings](#).

---

## Documentation

- **Owner manual (PDF):** [CEMOTO D-Series User Manual](#) — the official D-series owner manual. Note: CEMOTO currently publishes a single shared owner manual for the D02 and D03 series, covering safety, assembly, operation, display, maintenance, troubleshooting and warranty.
- **Assembly guide:** [Unboxing & Assembly](#)
- **Reverse mode & controls:** [Display & Settings](#)
- **Display & error codes:** [Display & Error Codes](#)

“ **Note:** Speed and range are manufacturer-stated maximums and are not simultaneous guarantees. Actual performance varies with rider weight, terrain, temperature, riding mode and battery condition.

## Images

**D02 Track** — official product photography.

D02 Track — Front three-quarter

Front three-quarter

D02 Track — Rear three-quarter

Rear three-quarter

D02 Track — Detail 1

Detail 1

D02 Track — Detail 2

Detail 2

D02 Track — Detail 3

Detail 3

D02 Track — Detail 4

Detail 4

D02 Track — Left side

Left side

# CEMOTO D03 Beast

“ The D-series flagship: a 72V system with 6000W peak output on a full-size frame, built for taller, experienced riders.

[← Back to D-Series overview](#)

D03 Beast — Black

## Overview

The D03 Beast is the high-performance flagship of the D03 series, built on a **72V 25Ah lithium battery** and a brushless motor rated up to **6000W peak**. With a **31.9-inch seat height** and a 17"/14" wheel setup, it offers a taller chassis and a stronger power platform than the D03 Pro.

**Available colors:** D03 Beast Black · D03 Beast Orange

## Key specifications

| Item         | Specification                             |
|--------------|-------------------------------------------|
| Motor        | 72V brushless motor, up to 6000W peak     |
| Battery      | 72V 25Ah lithium-ion                      |
| Top speed    | Up to 53 mph (approx. 85 km/h)            |
| Range        | Up to 50 miles (approx. 80 km) per charge |
| Charge time  | Approximately 7-8 hours                   |
| Wheels       | 17-inch front / 14-inch rear              |
| Brakes       | Hydraulic disc brakes                     |
| Suspension   | Hydraulic front fork and rear shock       |
| Intended use | Off-road only — private land & track      |

# Dimensions & weight


| Item             | Specification                       |
|------------------|-------------------------------------|
| Overall length   | 66.1 in                             |
| Seat height      | Approx. 31.9 inches (approx. 81 cm) |
| Ground clearance | 11.0 in                             |
| Rider height     | 5'9"-6'5" (approx. 175-195 cm)      |
| Maximum load     | 287 lb                              |

# Feature highlights

- 6000W peak brushless motor
- Full-color display (53 MPH readout)
- Dual LED headlights
- 72V 25Ah lithium battery
- Knobby off-road tires (17" front / 14" rear)
- Hydraulic front fork and rear shock
- Finned controller housing
- Hydraulic disc brakes

# D03 Pro vs D03 Beast

| Item              | D03 Pro                   | D03 Beast                  |
|-------------------|---------------------------|----------------------------|
| Electrical system | 48V 23Ah                  | 72V 25Ah                   |
| Peak power        | 3000W                     | 6000W                      |
| Wheels            | 14" / 12"                 | 17" / 14"                  |
| Seat height       | 28.3 in                   | 31.9 in                    |
| Rider height      | 4'11"-5'10"               | 5'9"-6'5"                  |
| Best for          | Compact, approachable fit | Taller, experienced riders |



**Choosing between them:** the difference is electrical system, wheel size and seat height — not brand tier. The D03 Beast is the same D03 family stepped up to the 72V platform and a full-size chassis.

---

## Frequently asked questions

**Who is D03 Beast for?** Taller, experienced riders who fit its 31.9-inch seat and listed 5'9"–6'5" range.

**How fast can it go?** Up to 53 mph is manufacturer-stated and not guaranteed.

**What is the maximum load?** The confirmed maximum load is 287 lb.

**Does it arrive assembled?** Some assembly and pre-ride checks are required. See [Unboxing & Assembly](#).

**What warranty is included?** The warranty period, coverage and exclusions are governed by the official [Warranty](#) terms and the [Warranty Claims](#) procedure.

---

## Documentation

- **Owner manual (PDF):** [CEMOTO D-Series User Manual](#) — the official D-series owner manual. Note: CEMOTO currently publishes a single shared owner manual for the D02 and D03 series, covering safety, assembly, operation, display, maintenance, troubleshooting and warranty.
- **Assembly guide:** [Unboxing & Assembly](#)
- **Display & error codes:** [Display & Error Codes](#)

“ **Note:** Speed and range are manufacturer-stated maximums, not guarantees. Actual performance varies with rider weight, terrain, temperature, tire pressure and riding style.

---

# Images

**D03 Beast** — official product photography.

D03 Beast — Black

Black

D03 Beast — Orange

Orange

D03 Beast — Specification highlight

Specification highlight

D03 Beast — Off-road showcase

Off-road showcase

D03 Beast — Feature detail 1

Feature detail 1

D03 Beast — Feature detail 2

Feature detail 2

# CEMOTO D03 Pro

“Mid-range off-road electric dirt bike with 3000W peak output, three selectable riding modes and a compact, approachable frame setup.

[← Back to D-Series overview](#)

D03 Pro — Main view

## Overview

The D03 Pro is built on a **48V 23Ah lithium battery** and a brushless motor rated up to **3000W peak**. With a **28.3-inch seat height**, three selectable riding modes and hydraulic dual-disc brakes, it is positioned as the balanced all-rounder for teens and adults with a compact build.

**Available colors:** D03 Pro Black · D03 Pro Orange

## Key specifications

| Item          | Specification                     |
|---------------|-----------------------------------|
| Motor         | Brushless motor, up to 3000W peak |
| Battery       | 48V 23Ah lithium battery          |
| Top speed     | Up to 40 MPH (approx. 65 km/h)    |
| Maximum range | Up to 34 miles (approx. 55 km)    |
| Torque        | Up to approx. 96 lb-ft            |
| Charge time   | Approximately 6 hours             |
| Riding modes  | Three selectable modes            |
| Display       | Digital display                   |
| Brakes        | Hydraulic dual-disc brakes        |

| Item         | Specification                        |
|--------------|--------------------------------------|
| Suspension   | Full front and rear suspension       |
| Wheels       | 14-inch front / 12-inch rear         |
| Intended use | Off-road only — private land & track |

# Dimensions & weight

| Item                         | Specification                     |
|------------------------------|-----------------------------------|
| Seat height                  | 28.3 inches                       |
| Rider height                 | Approx. 4'11"-5'10" (150-178 cm)  |
| Maximum load                 | Approx. 265 lb                    |
| Overall length (reference)   | Approx. 61.4 inches               |
| Overall height (reference)   | Approx. 38.2 inches               |
| Ground clearance (reference) | Approx. 8.7 inches                |
| Net weight                   | Approx. 121 lb                    |
| Carton dimensions            | Approx. 51.6 × 12.2 × 24.4 inches |
| Gross weight                 | Approx. 139 lb                    |

# Feature highlights

- 3000W peak brushless motor
  - Full-color digital display
  - Dual LED headlights
  - 48V 23Ah lithium battery
  - Knobby off-road tires (14" front / 12" rear)
  - Front fork suspension and rear shock
  - Finned controller housing
  - Hydraulic disc brakes
- 

# Frequently asked questions

**What does the 3000W figure mean?** It is the stated **peak** motor output, not a continuous or nominal power rating.

**How fast and how far can the D03 Pro go?** The manufacturer states up to 40 MPH and up to 34 miles. Actual results vary with rider weight, terrain, temperature, tire pressure, mode selection and riding style.

**Who is the D03 Pro designed to fit?** The stated rider-height range is approximately 4'11"-5'10", with a 28.3-inch seat. Individual inseam, skill and comfort should also guide fit.

**How large and heavy is the shipping carton?** The supplied carton dimensions are approximately 51.6 × 12.2 × 24.4 inches. Listed net weight is approximately 121 lb and gross shipping weight is approximately 139 lb, so buyers should plan suitable space and lifting assistance.

**Does it include a street kit or qualify for road use?** No street kit is included. The D03 Pro is presented for off-road use on suitable private land and tracks, not as a street-legal vehicle.

**What speeds do the three modes allow?** The bike has three selectable modes, but verified mode-by-mode speed test data is not available, so no specific speed is assigned to each mode.

**Is a 30-degree climbing claim included?** No. There is no verified standardized test basis for that claim.

**How quickly does an in-stock order ship?** Dispatch and delivery timing depend on live stock and your destination — see the [Shipping & Delivery](#) policy for the current terms.

**What warranty is included?** The warranty period, coverage and exclusions are governed by the official [Warranty](#) terms and the [Warranty Claims](#) procedure.

---

## Documentation

- **Owner manual (PDF):** [CEMOTO D-Series User Manual](#) — the official D-series owner manual. Note: CEMOTO currently publishes a single shared owner manual for the D02 and D03 series, covering safety, assembly, operation, display, maintenance, troubleshooting and warranty.
- **Assembly guide:** [Unboxing & Assembly](#)
- **Display & error codes:** [Display & Error Codes](#)



**Note:** Speed and range are manufacturer-stated maximums, not guarantees.  
Actual performance varies with riding conditions.

# Images

**D03 Pro** — official product photography.

D03 Pro — Main view

Main view

D03 Pro — Off-road hero

Off-road hero

D03 Pro — Performance

Performance

D03 Pro — Parent and child size comparison

Parent and child size comparison

D03 Pro — Size and fit

Size and fit