

CEMOTO D02 Track

“ High-performance off-road electric dirt bike with 6000W peak output, a built-in reverse mode and a 72V removable battery, configured for private land and track use.

[← Back to D-Series overview](#)

D02 Track — Front three-quarter

Overview

The D02 Track is the high-performance version of the D02 series, built on a **72V 25Ah lithium battery** and a brushless motor rated up to **6000W peak**. It features a **reverse mode**, three riding modes and a **31.9-inch seat height**, aimed at taller, more experienced riders.

The battery is **removable and can be charged off the bike**. The model ships in a **track configuration without a horn**.

Available colors: D02 Track Black · D02 Track Orange

Key specifications

Item	Specification
Motor	Brushless motor, up to 6000W peak
Battery	72V 25Ah lithium-ion (removable, can be charged off the bike)
Top speed	Up to 53 mph (approx. 85 km/h)
Maximum range	Up to 60 miles (approx. 96 km) per charge
Torque	Up to approx. 221 lb-ft (300 N·m)

Item	Specification
Charge time	Approximately 7–8 hours
Riding modes	Three: Low / Mid / High
Controls	Reverse included / no horn (track setup)
Wheels	17-inch front / 14-inch rear
Brakes	Hydraulic dual-disc brakes
Suspension	Off-road front and rear suspension
Charger plug	U.S. two-prong
Assembly required	Front wheel, handlebars, footpegs and headlight
Intended use	Off-road only — private land & track

Dimensions & weight

Item	Specification
Overall length	66.14 in (168 cm)
Overall height	42.52 in (108 cm)
Seat height	31.89 in (81 cm)
Ground clearance	8.66 in (22 cm)
Front fork length	29.53 in (75 cm)
Rider height	5'9"-6'5" (approx. 175–195 cm)
Maximum load	265 lb (120 kg)
Net weight	138.9 lb (63 kg)
Carton dimensions	55.5 × 13.8 × 25.2 in (141 × 35 × 64 cm)
Gross weight	165.3 lb (75 kg)

Feature highlights

- 6000W peak brushless motor
- LCD display
- Headlight
- Front and rear suspension
- Battery compartment (removable battery, chargeable off the bike)
- Off-road tires (17" front / 14" rear)

- **Reverse mode** for easier manoeuvring on narrow trails
 - Hydraulic dual-disc brakes
 - Finned controller housing
-

From the box to the dirt

Assembly kit contents (pictured): headlight, front number plate, wrenches, hex keys, screwdriver, cable ties, footpegs and manual.

Four parts to install: front wheel, handlebars, footpegs and headlight. Follow the D-series assembly guide and complete the pre-ride checks. Keep the carton and internal protection for service or returns.

Charger: included U.S. two-prong charger. Remove the battery from the compartment and charge it with the corresponding charging port (three-pin socket) on the charger.

Documentation: D-series user manual (PDF) — see the [manuals library](#).

Ownership, made clear

The commercial terms that apply to your order — delivery coverage and timing, the return window, and the warranty period with its exclusions — are set out in full on the policy pages below. They are the authoritative version; any figure quoted in a product listing or campaign is superseded by them.

Topic	Where it is defined
Shipping coverage and timing	Shipping & Delivery
Shipping damage on arrival	Contact & Support — photograph the carton and packaging, then open a ticket
Returns and refunds	Returns & Refunds
Warranty period and exclusions	Warranty · Warranty Claims

Frequently asked questions

How is the D02 Track different from the D02 Classic? The D02 Track uses the 72V 25Ah / 6000W peak performance platform with 17"/14" wheels and a 31.9-inch seat, while the D02 Classic uses the 48V 21Ah / 3000W platform with 14"/12" wheels and a 28.74-inch seat. The D02 Track also adds a reverse mode and a removable, off-bike-chargeable battery.

Can I charge the battery off the bike? Yes. The D02 Track battery is removable and can be charged outside the bike using the included charger and the battery's three-pin charging port.

How long does the D02 Track take to charge? Approximately 7–8 hours for a full charge.

Does the D02 Track have a horn? No. It ships in a track configuration without a horn, which is a deliberate setup for private land and track use.

What is the maximum load? 265 lb (120 kg).

Is the controller programmable? The CEMOTO D-series uses a programmable controller. It ships with a factory-set limit for local compliance and can be switched to competition-focused off-road settings where allowed. Display-accessible parameters such as the speed limit are documented in

[Display & Settings](#).

Documentation

- **Owner manual (PDF):** [CEMOTO D-Series User Manual](#) — the official D-series owner manual. Note: CEMOTO currently publishes a single shared owner manual for the D02 and D03 series, covering safety, assembly, operation, display, maintenance, troubleshooting and warranty.
- **Assembly guide:** [Unboxing & Assembly](#)
- **Reverse mode & controls:** [Display & Settings](#)
- **Display & error codes:** [Display & Error Codes](#)

“ **Note:** Speed and range are manufacturer-stated maximums and are not simultaneous guarantees. Actual performance varies with rider weight, terrain, temperature, riding mode and battery condition.

Images

D02 Track — official product photography.

D02 Track — Front three-quarter

Front three-quarter

D02 Track — Rear three-quarter

Rear three-quarter

D02 Track — Detail 1

Detail 1

D02 Track — Detail 2

Detail 2

D02 Track — Detail 3

Detail 3

D02 Track — Detail 4

Detail 4

D02 Track — Left side

Left side